



Message Specification

Issue date: 2008-09-02
Version: 1.31

GS1 Sweden ESAP

MS45 [6.1.3 Avrop]

EANCOM D.96A ORDERS

| | | Format | Code | Entity |
|---|---------------------------------------|------------|---|--|
| UNA | SERVICE STRING ADVISE | C | | |
| UNA1 | Component data element separator | M an1 | | |
| UNA2 | Data element separator | M an1 | | |
| <i>Example: UNA++.??'</i> | | | | |
| UNB | INTERCHANGE HEADER | M | | |
| S001 | SYNTAX IDENTIFIER | M | | |
| 0001 | Syntax identifier | M a4 | UNOC UN/ECE level C | |
| 0002 | Syntax version number | M n1 | 3 Syntax version number 3 | |
| S002 | INTERCHANGE SENDER | M | | |
| 0004 | Sender identification | M an..35 | | Global Location Number (GLN) |
| 0007 | Partner identification code qualifier | C an..4 | 14 EAN International | |
| 0008 | Address for reverse routing | C an..14 | | |
| S003 | INTERCHANGE RECIPIENT | M | | |
| 0010 | Recipient identification | M an..35 | | Global Location Number (GLN) |
| 0007 | Partner identification code qualifier | C an..4 | 14 EAN International | |
| 0014 | Routing address | C an..14 | | |
| S004 | DATE/TIME OF PREPARATION | M | | |
| 0017 | Date of preparation | M n6 | | |
| 0019 | Time of preparation | M n4 | | |
| 0020 | Interchange control reference | M an..14 | | |
| <i>Example: UNB+UNOC:3+X:14:X+X:14:X+060831:0852+X'</i> | | | | |
| UNH | MESSAGE HEADER | M | | |
| 0062 | Message reference number | M an..14 | | |
| S009 | MESSAGE IDENTIFIER | M | | |
| 0065 | Message type identifier | M an..6 | ORDER Purchase order message S | |
| 0052 | Message type version number | M an..3 | D Draft directory | |
| 0054 | Message type release number | M an..3 | 96A Version 96A | |
| 0051 | Controlling agency | M an..2 | UN UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM) | |
| 0057 | Association assigned code | C an..6 | EAN008 | |
| <i>Example: UNH+X+ORDERS:D:96A:UN:EAN008'</i> | | | | |
| BGM | Beginning of message | M | | |
| C002 | Document/message name | C R | | |
| 1001 | Document/message name, coded | C an..3 R | | T3100 Ordertyp |
| 1004 | Document/message number | C an..17 R | | T0034 Avropsnummer |
| 1225 | Message function, coded | C an..3 R | 9 Original | |
| <i>Example: BGM+226+123456+9'</i> | | | | |
| DTM | Dokumentdatum | M | | |
| C507 | Date/time/period | M | | |
| 2005 | Date/time/period qualifier | M an..3 | 137 Document/message date/time | |
| 2380 | Date/time/period | C an..35 R | | T0035 Avropsdatum |
| 2379 | Date/time/period format qualifier | C an..3 R | 102 CCYYMMDD | |
| <i>Example: DTM+137:20070817:102'</i> | | | | |
| DTM | Önskat leveransdatum | M | | |
| C507 | Date/time/period | M | | |
| 2005 | Date/time/period qualifier | M an..3 | 2 Delivery date/time, requested | |
| 2380 | Date/time/period | C an..35 R | | T0040 Önskat leveransdatum för hela ordern |
| 2379 | Date/time/period format qualifier | C an..3 R | 102 CCYYMMDD | |
| <i>Example: DTM+2:20070820:102'</i> | | | | |
| FTX | Godsmärkning | C | | |
| 4451 | Text subject qualifier | M an..3 | MKS Additional marks/numbers information | |
| 4453 | Text function, coded | C an..3 R | 1 Text for subsequent use | |
| C107 | Text reference | C N | | |
| 4441 | Free text, coded | M an..3 | | |
| C108 | Text literal | C R | | |
| 4440 | Free text | M an..70 | | T0086 Godsmärkning |
| 4440 | Free text | C an..70 | | T0086 Godsmärkning |
| 4440 | Free text | C an..70 | | T0086 Godsmärkning |
| 4440 | Free text | C an..70 | | T0086 Godsmärkning |



Message Specification

Issue date: 2008-09-02
Version: 1.31

GS1 Sweden ESAP

MS45 [6.1.3 Avrop]

EANCOM D.96A ORDERS

| | Format | Code | Entity |
|------------|--------------------------------------|--|---|
| 4440 | Free text | C an..70 <i>Example: FTX+MKS+1++Lämnas på lastkaj och hämtas av kökspersonalen:::X'</i> | T0086 Godsmärkning |
| SG1 | | C | |
| RFF | Referens till beställning | M | |
| C506 | Reference | M | |
| 1153 | Reference qualifier | M an..3 | BO Blanket order number |
| 1154 | Reference number | C an..35 R | T0083 Referens till rambeställning |
| | | <i>Example: RFF+BO:X'</i> | |
| SG1 | | C | |
| RFF | Referens till prislista | M | |
| C506 | Reference | M | |
| 1153 | Reference qualifier | M an..3 | PL Price list number |
| 1154 | Reference number | C an..35 R | T0006 Referens till prislista |
| | | <i>Example: RFF+PL:KPL000022'</i> | |
| SG1 | | C | |
| RFF | Referens till avtal/kontrakt | M | |
| C506 | Reference | M | |
| 1153 | Reference qualifier | M an..3 | CT Contract number |
| 1154 | Reference number | C an..35 R | T0007 Referens till avtal/kontrakt |
| | | <i>Example: RFF+CT:AVT-1234'</i> | |
| SG1 | | C | |
| RFF | Referens till varukorgsnummer | M | |
| C506 | Reference | M | |
| 1153 | Reference qualifier | M an..3 | VN Order number (supplier) |
| 1154 | Reference number | C an..35 | T1333 Referens till varukorgsnummer |
| | | <i>Example: RFF+VN:37'</i> | |
| SG2 | | C | |
| NAD | Köparen | M | |
| 3035 | Party qualifier | M an..3 | BY Buyer |
| C082 | Party identification details | C R | |
| 3039 | Party id. identification | M n13 | T0008 Köparen |
| 1131 | Code list qualifier | C an..3 N | |
| 3055 | Code list responsible agency, coded | C an..3 R | 9 EAN (International Article Numbering association) |
| | | <i>Example: NAD+BY+7350000001204:::9'</i> | |
| SG2 | | C | |
| NAD | Leverantör | M | |
| 3035 | Party qualifier | M an..3 | SU Supplier |
| C082 | Party identification details | C R | |
| 3039 | Party id. identification | M n13 | T0009 Leverantören |
| 1131 | Code list qualifier | C an..3 N | |
| 3055 | Code list responsible agency, coded | C an..3 R | 9 EAN (International Article Numbering association) |
| | | <i>Example: NAD+SU+7300015200000:::9'</i> | |
| SG2 | | C | |
| NAD | Godsmottagare | M | |
| 3035 | Party qualifier | M an..3 | CN Consignee |
| C082 | Party identification details | C R | |
| 3039 | Party id. identification | M n13 | T0036 Godsmottagaren Global location number (GLN) |
| 1131 | Code list qualifier | C an..3 N | |
| 3055 | Code list responsible agency, coded | C an..3 R | 9 EAN (International Article Numbering association) |
| | | <i>Example: NAD+CN+7350000001211:::9'</i> | |
| SG2 | | C | |
| NAD | Fakturaadressat | M | |
| 3035 | Party qualifier | M an..3 | ITO Invoice recipient party (EAN Code) |
| C082 | Party identification details | C R | |
| 3039 | Party id. identification | M an..35 | T0240 Fakturaadressat Global location number (GLN) |
| 1131 | Code list qualifier | C an..3 N | |



Message Specification

Issue date: 2008-09-02
Version: 1.31

GS1 Sweden ESAP

MS45 [6.1.3 Avrop]

EANCOM D.96A ORDERS

| | | Format | Code | Entity |
|---|-------------------------------------|-----------|---|--------|
| 3055 | Code list responsible agency, coded | C an..3 R | 9 EAN (International Article Numbering association) | |
| <i>Example: NAD+ITO+7350000001235::9'</i> | | | | |

| SG2 | | C | | |
|--|-------------------------------------|-----------|---|---|
| NAD | | M | | |
| 3035 | Fakturamottagare Party qualifier | M an..3 | IV Invoicee | |
| C082 | Party identification details | C R | | |
| 3039 | Party id. identification | M n13 | | T0085 Fakturamottagaren Global location number (GLN) |
| 1131 | Code list qualifier | C an..3 N | | |
| 3055 | Code list responsible agency, coded | C an..3 R | 9 EAN (International Article Numbering association) | |
| <i>Example: NAD+IV+7300012550009::9'</i> | | | | |

| SG2 | | C | | |
|--|---|-----------|---|--|
| NAD | | M | | |
| 3035 | Beställarens identitet Party qualifier | M an..3 | OB Ordered by | |
| C082 | Party identification details | C R | | |
| 3039 | Party id. identification | M n13 | | T0295 Beställarens identitet GLN Global location number (GLN) |
| 1131 | Code list qualifier | C an..3 N | | |
| 3055 | Code list responsible agency, coded | C an..3 R | 9 EAN (International Article Numbering association) | |
| <i>Example: NAD+OB+7350000001242::9'</i> | | | | |

| SG2 | | C | | |
|--|--------------------------------------|----------|---------------|-------------------------|
| NAD | | M | | |
| 3035 | Beställarens namn Party qualifier | M an..3 | OB Ordered by | |
| C082 | Party identification details | C N | | |
| 3039 | Party id. identification | M an..35 | | |
| C058 | Name and address | C N | | |
| 3124 | Name and address line | M an..35 | | |
| C080 | Party name | C R | | |
| 3036 | Party name | M an..35 | | T0294 Beställarens namn |
| <i>Example: NAD+OB+++Kalle Karlsson'</i> | | | | |

| SG2 | | C | | |
|--|--|-----------|---|--|
| NAD | | M | | |
| 3035 | Leveransmottagare med GLN Party qualifier | M an..3 | DP Delivery party | |
| C082 | Party identification details | C R | | |
| 3039 | Party id. identification | M n13 | | T0037 Leveransmottagaren Global location number (GLN) |
| 1131 | Code list qualifier | C an..3 N | | |
| 3055 | Code list responsible agency, coded | C an..3 R | 9 EAN (International Article Numbering association) | |
| <i>Example: NAD+DP+7350000001228::9'</i> | | | | |

| SG2 | | C | | |
|---|---|------------|-------------------|------------------|
| NAD | | M | | |
| 3035 | Leveransmottagare utan GLN Party qualifier | M an..3 | DP Delivery party | |
| C082 | Party identification details | C N | | |
| 3039 | Party id. identification | M an..35 | | |
| C058 | Name and address | C N | | |
| 3124 | Name and address line | M an..35 | | |
| C080 | Party name | C R | | |
| 3036 | Party name | M an..35 | | T5001 Partsnamn |
| 3036 | Party name | C an..35 | | T5002 Avdelning |
| C059 | Street | C R | | |
| 3042 | Street and number/p.o. box | M an..35 | | T5003 Gatunamn |
| 3042 | Street and number/p.o. box | C an..35 | | T5004 Byggnad |
| 3164 | City name | C an..35 R | | T5005 Ort |
| 3229 | Country sub-entity identification | C an..9 N | | |
| 3251 | Postcode identification | C an..9 R | | T5006 Postnummer |
| 3207 | Country, coded | C an..3 | | T5007 Landskod |
| <i>Example: NAD+DP+++Barnstugan Blomman:Avd1+Lekgatan 1:Rosa huset+Småstad+123 45+SE'</i> | | | | |

| SG25 | C |
|------|---|
|------|---|



Message Specification

Issue date: 2008-09-02
Version: 1.31

GS1 Sweden ESAP

MS45 [6.1.3 Avrop]

EANCOM D.96A ORDERS

| | | Format | Code | Entity |
|-------------|-------------------------------------|------------|---|---------------------------------|
| LIN | Avropsrad | M | | |
| 1082 | Line item number | C n..6 R | | T0051 Radnummer |
| 1229 | Action request/notification, coded | C an..3 N | | |
| C212 | Item number identification | C | | |
| 7140 | Item number | C an..35 R | | T0052 Beställd artikel |
| | | | | Global trade item number (GTIN) |
| 7143 | Item number type, coded | C an..3 R | EU | |
| 1131 | Code list qualifier | C an..3 N | | |
| 3055 | Code list responsible agency, coded | C an..3 R | 9 EAN (International Article Numbering association) | |

Example: LIN+9++7300015200154:EU::9'

| | | | | |
|-------------|-----------------------------------|------------|------------------------------|-----------------------------------|
| SG25 | | C | | |
| PIA | Varuidentifikation | C | | |
| 4347 | Product id. function qualifier | M an..3 | 5 Product identification | |
| C212 | Item number identification | M | | |
| 7140 | Item number | C an..35 R | | T0172 Leverantörens artikelnummer |
| 7143 | Item number type, coded | C an..3 R | SA Supplier's article number | |

Example: PIA+5+12345678:SA'

| | | | | |
|-------------|-----------------------------------|------------|---|-----------------------------------|
| SG25 | | C | | |
| PIA | Varuidentifikation | C | | |
| 4347 | Product id. function qualifier | M an..3 | 5 Product identification | |
| C212 | Item number identification | M | | |
| 7140 | Item number | C an..35 R | | T1120 Tillverkarens artikelnummer |
| 7143 | Item number type, coded | C an..3 R | MF Manufacturer's (producer's) article number | |

Example: PIA+5+A970732943043:MF'

| | | | | |
|-------------|-------------------------|----------|---------------------|---|
| SG25 | | C | | |
| QTY | Orderkvantitet | C | R | |
| C186 | Quantity details | M | R | |
| 6063 | Quantity qualifier | M an..3 | 21 Ordered quantity | |
| 6060 | Quantity | M n..15 | | T0039 Beställd kvantitet |
| 6411 | Measure unit qualifier | C an..3 | | T0055 Måttenhetskvalificerare för kvantitet |

Example: QTY+21:13'

| | | | | |
|-------------|-----------------------------------|------------|---------------------------------|---|
| SG25 | | C | | |
| DTM | Önskat leveransdatum | C | | |
| C507 | Date/time/period | M | | |
| 2005 | Date/time/period qualifier | M an..3 | 2 Delivery date/time, requested | |
| 2380 | Date/time/period | C an..35 R | | T0041 Önskat leveransdatum för denna orderrad |
| 2379 | Date/time/period format qualifier | C an..3 R | 102 CCYYMMDD | |

Example: DTM+2:20070821:102'

| | | | | |
|-------------|--|----------|------------------|---------------------------|
| SG25 | | C | | |
| GIN | Objektets identitet information | C | | |
| 7405 | Identity number qualifier | M an..3 | BN Serial number | |
| C208 | Identity number range | M | | |
| 7402 | Identity number | M an..35 | | T1300 Objektets identitet |

Example: GIN+BN+X'

| | | | | |
|-------------|------------------------------|------------|------------------|-----------------------------------|
| SG25 | | C | | |
| GIN | Objektidentitetsserie | C | | |
| 7405 | Identity number qualifier | M an..3 | BN Serial number | |
| C208 | Identity number range | M | | |
| 7402 | Identity number | M an..35 | | T1301 Objektidentitetsserie start |
| 7402 | Identity number | C an..35 R | | T1302 Objektidentitetsserie slut |

Example: GIN+BN+7350000000000018:73500000000000131'

| | | | | |
|-------------|------------------------|----------|---------------------------|--|
| SG25 | | C | | |
| FTX | Free text | C | | |
| 4451 | Text subject qualifier | M an..3 | SIN Special instructions | |
| 4453 | Text function, coded | C an..3 | 1 Text for subsequent use | |
| C107 | Text reference | C | N | |
| 4441 | Free text, coded | M an..3 | | |
| C108 | Text literal | C | R | |

GS1 Sweden ESAP

MS45 [6.1.3 Avrop]

EANCOM D.96A ORDERS

| | | Format | Code | Entity |
|--|------------------------------------|-----------|---|--|
| 4440 | Free text | M an..70 | | T1335 Instruktion till leverantören |
| 4440 | Free text | C an..70 | | T1335 Instruktion till leverantören |
| 4440 | Free text | C an..70 | | T1335 Instruktion till leverantören |
| 4440 | Free text | C an..70 | | T1335 Instruktion till leverantören |
| 4440 | Free text | C an..70 | | T1335 Instruktion till leverantören |
| 3453 | Language, coded | C an..3 R | SV Swedish | T1335 Instruktion till leverantören |
| <i>Example: FTX+SIN+1++PC installeras i rum 47 med installationsscript A:X:X:X+SV'</i> | | | | |
| SG29 | | C | | |
| RFF | Reference | M | | |
| C506 | Reference | M | | |
| 1153 | Reference qualifier | M an..3 | ACE Related document number | |
| 1154 | Reference number | C an..35 | | T1334 Referens instruktion till leverantören |
| <i>Example: RFF+ACE:132465'</i> | | | | |
| UNS | Summeringsstart | M | | |
| 0081 | Section identification | M a1 | S Detail/summary section separation | |
| <i>Example: UNS+S'</i> | | | | |
| CNT | Kontrolltotal - kvantiteter | C | | |
| C270 | Control | M | | |
| 6069 | Control qualifier | M an..3 | 1 Total value of the quantity segments at line level in a message | |
| 6066 | Control value | M n..18 | | T0042 Kontrolltotal - Summa kvantiteter |
| <i>Example: CNT+1:13'</i> | | | | |
| CNT | Kontrolltotal - antal rader | C | | |
| C270 | Control | M | | |
| 6069 | Control qualifier | M an..3 | 2 Number of line items in message | |
| 6066 | Control value | M n..18 | | T0043 Kontrolltotal - antal rader |
| <i>Example: CNT+2:9'</i> | | | | |
| UNT | MESSAGE TRAILER | M | | |
| 0074 | Number of segments in a message | M n..6 | | |
| 0062 | Message reference number | M an..14 | | |
| <i>Example: UNT+27+X'</i> | | | | |
| UNE | FUNCTIONAL GROUP TRAILER | C | | |
| 0060 | Number of messages | M n..6 | | |
| 0048 | Functional group reference number | M an..14 | | |
| <i>Example: UNE+1+X'</i> | | | | |
| UNZ | INTERCHANGE TRAILER | M | | |
| 0036 | Interchange control count | M n..6 | | |
| 0020 | Interchange control reference | M an..14 | | |
| <i>Example: UNZ+1+X'</i> | | | | |